

ISO 17025:2005

Sample Code: 191031-1

RESULTS REPORT/REPORT OF CHEMICAL ANALYSIS

Thessaloniki: 05.11.2019

TO : THALLON
ATT : Mr. Tsikouris Dimitris
SUBJECT : Chemical analysis of received sample olive oil with labeling # THALLON #.

1. Sample shipment: Mr. Tsikouris Dimitris
2. Sample received on: 31.10.2019
3. Sample Code: 191031-1
4. Sample Description: Olive oil in glass bottle.
5. Condition of sample : Good.
6. Period of consideration: 31.10.2019-05.11.2019
7. Clint's Address : Psakoudia Chalkidkis, Greece


The sample was subjected to the following chemical analyses and the results are:

Pesticides Analysis					
	Parameters	Units	Results	Reporting Limit (R.L.)	Method of Analysis
1.	Active substance Appendix A	mg/Kg	< 0,01	0,01 mg/Kg	LC-MS-MS, Based on EN 15662 & SANTE/11945/2015

Conclusion: On the following table including the Active Substance how analysis with Reporting Limit 0.01 mg/kg. **The sample that complies the specifications of MRLs limits based on EU 396/2005 and EU 178/2006.**

Quality, Research & Development
Manager.

Zarifidis Stefanos
M.Sc. Food Scientist/Agriculturist AB/TH



Appendix A

Active Substance	RL	Active Substance	RL	Active Substance	RL	Active Substance	RL
2,4-D	0.01	Acephate	0.01	Acetamiprid	0.01	Acetochlor	0.01
Aclonifen	0.01	Alachlor	0.01	Aldicarb	0.01	Aldicarb-sulfone	0.01
Aldicarb-sulfoxide	0.01	Allethrin	0.01	Ametoctradin	0.01	Ametryn	0.01

ISO 17025:2005

Sample Code: 191031-1

RESULTS REPORT/REPORT OF CHEMICAL ANALYSIS

Active Substance	RL	Active Substance	RL	Active Substance	RL	Active Substance	RL
Amitraz	0.01	Asulam	0.01	Atrazine	0.01		
Avermectin B1a (Abamectin)	0.01	Azaconazole	0.01	Azamethiphos	0.01	Azimsulfuron	0.01
Azinphos-methyl	0.01	Azoxystrobin	0.01	Benalaxyl	0.01	Benfuracarb	0.01
Bensulfuron-methyl	0.01	Bentazone	0.01	Benthiavalicarb-isopropyl	0.01	Benzoximate	0.01
Bifenazate	0.01	Bitertanol	0.01	Boscalid	0.01	Bramacil	0.01
Bromoxynil	0.01	Bromuconazole	0.01	Bupirimate	0.01	Buprofezin	0.01
Butafenacil	0.01	Butocarboxyn-sulfone	0.01	Cadusafos	0.01	Carbaryl	0.01
Carbendazim	0.01	Carbofuran	0.01	Carbofuran-3-hydroxy	0.01	Carboxin	0.01
Carpropamid	0.01	Chlorantraniliprole	0.01	Chlorbromuron	0.01	Chlorfenvinphos	0.01
Chloridazon	0.01	Chloroxuron	0.01	Chlorpropham	0.01	Chlorpyrifos (Chlorpyrifos-ethyl)	0.01
Chlorsulfuron	0.01	Chlortoluron	0.01	cis-Mevinphos	0.01	Clethodim	0.01
Climbazole	0.01	Clodinafop-propargyl ester	0.01	Clofentezine	0.01	Clomazone	0.01
Cloquintocet-1-methylhexyl ester	0.01	Clothianidin	0.01	Coumaphos	0.01	Crimidine	0.01
Cyazofamid	0.01	Cycloate	0.01	Cycloxydim	0.01	Cyproconazole	0.01
Cyprodinil	0.01	Deltamethrin	0.01	Demeton-S-methyl	0.01	Demeton-S-methyl-sulfone	0.01
Demeton-S-methyl-sulfoxide (Oxydemeton-methyl)	0.01	Desmedipham	0.01	Desmetryn	0.01	Diafenthiuron	0.01
Diazinon	0.01	Dicamba	0.01	Diclobutrazol	0.01	Dicrotophos	0.01
Diethofencarb	0.01	Difenoconazole	0.01	Diflubenzuron	0.01	Dimethenamid	0.01
Dimethoate	0.01	Dimethomorph	0.01	Dimoxystrobin	0.01	Diphenamid	0.01
Dipropetryne	0.01	Ditalimfos	0.01	Diuron	0.01	DMST	0.01
Dodemorph	0.01	Dodine	0.01	Eamectin	0.01	Eamectin benzoate b1a	0.01
Eamectin benzoate b1b	0.01	Epoxiconazole	0.01	EPTC	0.01	Etaconazole	0.01
Ethiofencarb	0.01	Ethiofencarb-sulfone	0.01	Ethiofencarb-sulfoxide	0.01	Ethion	0.01
Ethiprole	0.01	Ethirimol	0.01	Ethofumesate	0.01	Ethoprophos	0.01
Ethoxyquin	0.01	Etofenprox	0.01	Etoxazole	0.01	Etrifos	0.01
Famoxadone	0.01	Famphur	0.01	Fenamidone	0.01	Fenamiphos	0.01
Fenamiphos-sulfone	0.01	Fenamiphos-sulfoxide	0.01	Fenarimol	0.01	Fenazaquin	0.01
Fenbuconazole	0.01	Fenhexamid	0.01	Fenoxaprop-p-ethyl	0.01	Fenoxycarb	0.01
Fenpropidin	0.01	Fenpropimorph	0.01	Fenpyroximate	0.01	Fensulfotion-oxon	0.01
Fenthion	0.01	Fenthion-oxon	0.01	Fenthion-oxon-sulfoxide	0.01	Fenthion-sulfone	0.01

ISO 17025:2005

Sample Code: 191031-1

RESULTS REPORT/REPORT OF CHEMICAL ANALYSIS

Fenthion-sulfoxide	0.01	Fipronil	0.01	Fipronil-desulfinyl	0.01	Fluazifop	0.01
Fluazifop-butyl	0.01	Fluazifop-P (free acid)	0.01	Fluazinam	0.01	Fludioxonil	0.01
Flufenacet	0.01	Flufenoxuron	0.01	Fluometuron	0.01	Fluopicolide	0.01
Fluquinconazole	0.01	Flusilazole	0.01	Flutolanil	0.01	Flutriafol	0.01
Foramsulfuron	0.01	Forchlorfenuron (cppu)	0.01	Formetanate hydrochloride	0.01	Fosthiazate	0.01
Fuberidazole	0.01	Furalaxyl	0.01	Furathiocarb	0.01	Halofenozide	0.01
Haloxyfop	0.01	Haloxyfop-methyl	0.01	Heptenophos	0.01	Hexaconazole	0.01
Hexaflumuron	0.01	Hexazinone	0.01	Hexythiazox	0.01	Imazalil	0.01
Imidacloprid	0.01	Indoxacarb	0.01	Iodosulfuron-methyl sodium	0.01	Iprobenfos	0.01
Iprodione	0.01	Iprovalicarb	0.01	Isazophos	0.01	Isocarbofos	0.01
Isofenphos	0.01	Isofenphos-methyl	0.01	Isoprocab	0.01	Isoprothiolane	0.01
Isoproturon	0.01	Isoxathon	0.01	Kresoxim-methyl	0.01	Lenacil	0.01
Linuron	0.01	Lufenuron	0.01	Malaoxon	0.01	Malathion	0.01
Mandipropamid	0.01	MCPA	0.01	Mecarbam	0.01	Mecoprop-P	0.01
Mefenpryr-diethyl	0.01	Mepanipyrim	0.01	Mephosfolan	0.01	Mepronil	0.01
Mesosulfuron-methyl	0.01	Metaflumizone	0.01	Metalaxyl	0.01	Metalaxyl-M	0.01
Metamitron	0.01	Metazachlor	0.01	Metconazole	0.01	Methabenzthiazuron	0.01
Methamidophos	0.01	Methidathion	0.01	Methiocarb	0.01	Methiocarb-sulfone	0.01
Methiocarb-sulfoxide	0.01	Methomyl	0.01	Methoprotryne	0.01	Methoxyfenozide	0.01
Metobromuron	0.01	Metolachlor	0.01	Metoxuron	0.01	Metraferone	0.01
Metsulfuron-methyl	0.01	Mevinphos (Phosdrin)	0.01	Molinate	0.01	Monocrotophos	0.01
Monolinuron	0.01	Monuron	0.01	Myclobutanil	0.01	Napropamid	0.01
Nicosulfuron	0.01	Nitenpyram	0.01	Nitrothal-isopropyl	0.01	Norflurazol	0.01
Nuarimol	0.01	Ofurace	0.01	Omethoate	0.01	Oxadiazon	0.01
Oxadixyl	0.01	Oxamyl	0.01	Oxamyl-oxime	0.01	Oxycarboxin	0.01
Paclobutrazol	0.01	Paraoxon-methyl	0.01	Parathion-methyl	0.01	Penconazole	0.01
Active Substance	RL	Active Substance	RL	Active Substance	RL	Active Substance	RL
Pencycuron	0.01	Penoxsulam	0.01	Phenmedipham	0.01	Phenothrin	0.01
Phenthoate	0.01	Phorate	0.01	Phorate-sulfoxide	0.01	Phosalone	0.01
Phosmet	0.01	Phosphamidon	0.01	Phoxim	0.01	Picolinafen	0.01
Picoxystrobin	0.01	Pinoxaden	0.01	Piperonyl-butoxide	0.01	Pirimicarb-desmethyl	0.01
Pirimicarb-desmethyl-forma mido	0.01	Pirimiphos-ethyl	0.01	Pirimiphos-methyl	0.01	Prochloraz	0.01
Profenofos	0.01	Promecarb	0.01	Propachlor	0.01	Propamocarb	0.01

ISO 17025:2005

Sample Code: 191031-1

RESULTS REPORT/REPORT OF CHEMICAL ANALYSIS

Propaquizafop	0.01	Propargite	0.01	Propazine	0.01	Propetamphos	0.01
Propham	0.01	Propiconazole	0.01	Propoxur	0.01	Pymetrozine	0.01
Pyraclostrobin	0.01	Pyrazophos	0.01	Pyridaben	0.01	Pyridaphenthion	0.01
Pyrimethanil	0.01	Pyriproxyfen	0.01	Quiazofop-ethyl	0.01	Resmethrin	0.01
Rimsulfuron	0.01	Rotenone	0.01	Sethoxydim	0.01	Spinosad	0.01
Spirodiclofen	0.01	Spiromesifen	0.01	Spiroxamine	0.01	Sulfentrazone	0.01
Sulprofos	0.01	Tebuconazole	0.01	Tebufenozide	0.01	Tebufenpyrad	0.01
Teflubenzuron	0.01	Temephos	0.01	Tepaloxymid	0.01	Terbufos-sulfone	0.01
Terbufos-sulfoxide	0.01	Terbumeton	0.01	Terbutylazine	0.01	Terbutryn	0.01
Tetrachlorvinphos-a	0.01	Tetrachlorvinphos-b	0.01	Tetraconazole	0.01	Thiabendazole	0.01
Thiacloprid	0.01	Thiamethoxam	0.01	Thidiazuron	0.01	Thifensulfuron-methyl	0.01
Thiobencarb	0.01	Thiodicarb	0.01	Thiofanox	0.01	Thiofanox-sulfone	0.01
Thiofanox-sulfoxide	0.01	Thiophanate-methyl	0.01	Tolyfluanid	0.01	Tralkoxydim	0.01
Triadimefon	0.01	Triadimenol	0.01	Triasulfuron	0.01	Triazophos	0.01
Tribenuron-methyl	0.01	Triclorfon	0.01	Tricyclazole	0.01	Trifloxystrobin	0.01
Triflumizole	0.01	Triflumuron	0.01	Triforine	0.01	Triticonazole	0.01
Uniconazole	0.01	Vamidothion	0.01	Zoxamide	0.01		

GC-MS-MS Based on EN 15662 & SANTE/11945/2015

Active Substance	RL	Active Substance	RL	Active Substance	RL	Active Substance	RL
1,4-Dichlorobenzene	0,01	3,4-Dichloroaniline	0,01	4,4'-Dichlorobenzophenone	0,01	Acibenzolar-S-methyl	0,01
Bendiocarb	0,01	Bifenox	0,01	Bromocyclen	0,01	Bromophos-methyl	0,01
Bromopropylate	0,01	Captan	0,01	Carbophenothion	0,01	Chinomethionate (Oxythioquinox)	0,01
Chlordane-cis	0,01	Chlordane-trans	0,01	Chlorfenapyr	0,01	Chlorfenson	0,01
chlorpropylate	0,01	Chlorpyrifos-methyl	0,01	Chlorthal-dimethyl	0,01	Chlorthion	0,01
Chlozolate	0,01	Cyfluthrin	0,01	Cyhalofop-butyl	0,01	Cyhalothrinjambda	0,01
DDD,o,p	0,01	DDE o,p	0,01	DDT o,p	0,01	Dichlobenil	0,01
Dichlofenthion	0,01	Dichlofluanid	0,01	Dichloran	0,01	Dieldrin	0,01
Endosulfan sulfate	0,01	Etridiazole (Terrazole)	0,01	Fenchlorvos (VS)	0,01	Fenitrothion	0,01
Fenson	0,01	Fenvalerate	0,01	Fluchloranil	0,01	Flucitrate	0,01
Fluvalinate tau	0,01	Folpet	0,01	Heptachlor	0,01	Heptachlor epoxide A	0,01
Heptachlor epoxide B	0,01	Hexaconazole	0,01	Hexazinone	0,01	Iodofenphos	0,01
Leptophos	0,01	Lindane	0,01	Methoxychlor	0,01	Mirex	0,01



ISO 17025:2005

Sample Code: 191031-1

RESULTS REPORT/REPORT OF CHEMICAL ANALYSIS

Naled	0,01	Nitrapyrin	0,01	Nitrofen	0,01	O-phenylphenol	0,01
Oxyfluorfen	0,01	Pendimethalin	0,01	Pentachloroanisole	0,01	Permethrin	0,01
Perthane	0,01	Profluralin	0,01	Prometon	0,01	Propanil	0,01
Propyzamide	0,01	Prothiofos	0,01	Quintozene (PCNB)	0,01	S421	0,01
Sulfotep	0,01	Tecnazene	0,01	Tefluthrin	0,01	Terbacil	0,01
Terbumeton	0,01	Tetrasul	0,01	Transfluthrin	0,01	Trichloronate	0,01

Thessaloniki: 05.11.2019

Quality, Research & Development
Manager,

Zarifidis Stefanos

M.Sc. Food Scientist-Agriculturist, APTH

